


FIG. 1

Patent Application No. 10/000,000











FIG. 2

 View Specifications Online | 
  Download Specifications | 
  Buy a License | 
  My Account | 
  Support

Please select which market you wish to view specifications for.

- United States Domestic
- Northern European (English)
- Northern European (German)
- Southern European (French)
- Southern European (Italian)
- Asian
- Australian
- Japanese
- Korean
- Mexican
- Saudi Arabian
- South American

FIG. 3a

 View Specifications Online  Download Specifications  Buy a License  My Account  Support

31 33 35 37 39

Market: United States Domestic

Please Select a manufacturer.

ACURA ~ 32

<< Back Continue >>

[Web Site Comments](#) | [Privacy Policy](#) | [Legal Notices](#) | [Terms & Conditions](#)

FIG. 3b

 View Specifications Online  Download Specifications  Buy a License  My Account  Support

31 33 35 37 39

Market: United States Domestic

Manufacturer: ACURA

Please select either Model or Year.

Select by Model ▼

OR

Select by Year ▼

<< Back

[Web Site Comments](#) | [Privacy Policy](#) | [Legal Notices](#) | [Terms & Conditions](#)

FIG. 3c

Market: United States Domestic

Manufacturer: ACURA

Year: 1999-1999

Model: 3.0CL

FRONT

	Min.	Pref.	Max.	Min.	Pref.	Max.
Caster	2.30°	3.30°	4.30°	2.30°	3.30°	4.30°
Camber	-1.01°	0.01°	1.02°	-1.02°	-0.02°	1.02°
SAI	---	---	---	---	---	---
Individual Toe	---	---	---	---	---	---

Total Toe

REAR

	Min.	Pref.	Max.	Min.	Pref.	Max.
Camber	-1.00°	-0.50°	0.00°	-1.00°	-0.50°	0.00°
Individual Toe	---	---	---	---	---	---
Total Toe			0.00°	0.30°		0.60°

FIG. 3d




FIG. 4




FIG. 5